









Antislip 27x143







Antislip 19x97





Antislip 27x143







Antislip 24x138



Dimension (mm)			
A	B	C	D
35	95	66,4	19,5
40	100	72,6	25
48	100	68	30,5
44	115	67,6	18,2

Bretter mit Fase







Dimension (mm)		
A	B	C
15	120-145	3-5

Bretter mit Fase







Dimension (mm)		
A	B	C
15	120-145	R5,R7,R10,R12

Bretter mit runder Kante







Spitznut 55x155





Handlauf 34x84



Dimension (mm)			
A	B	C	D
88	88	30	20
89	89	30	20
89	89	52	20
99	99	55	25

Kantholz mit Nut







Dimension (mm)			
A	B	C	D
88	88	30	20
89	89	30	20
89	89	50	20
99	99	55	25

Kantholz mit Nut






Dimension (mm)			
A	B	C	D
88	88	30	20
89	89	30	20

Kantholz mit Nut







Dimension (mm)				
A	B	R1	R2	α
60	75	175	160	92,5
60	75	240	200	92,5
60	75	340	300	94
40	95	500	500	98
30	95	850	500	100

Kernleiste







Dimension (mm)						
A	B	C	D	E	F	G
16	116	5	4	10,5	10	3.5x45°
16	116	6	5	11	10	3x45°
18	145	8	7	11	10	3x45°
18	175	6	5	11	10	2x45°
18	185	8	9	11	10	3x45°

Nut und Feder






Dimension (mm)					
A	B	C	D	E	F
27	145	11	8	9	12
30	145	11	8	9	12
28	145 / F45°	9	7	7,5	9,5



Nut und Feder







Nut und Feder 18x145





T-Profil 38x58



Dimension (mm)			
A	B	C	D
18	180	23	13
18	180	15	15
20	182	18	18

Wechselfalz

